



PT 4 Concealment with & without Lights - Pistols

GunMnfr./Model	BBL.	18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051
AMT	BBL.	18	27	527	528	518	567/568	5181	5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051
Hardballer	5.00"		53	53	53	53	53					53	53		53	53				
Beretta	BBL.	18	27	527	528	518	567/568	5181	5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051
92/96Vertec M9A1	4.70"					73						73								73
92/96 Vertec w/Light Rail N/A for Double Action Bobbed Hammer	4.70"						49													
90 Two Note: Weapon will not fit in Holster with the accessory rail cover attached.	4.78"						49					73								
92BrigadierD	4.90"						53					173					140			
92BrigadierFS	4.90"						53					73	73				140			
92 Brigadier	4.90"						49													73
92D	4.90"		73			73	53	73	73	73	73	173				73	140	73	73	
92DM	4.30"		73			73	53	73	73	73	73	173				73	140			
92DS	4.90"		73			73	53	73	73	73	73	173				73	140			
92F	4.90"		73			73	53	73	73	73	73	173	73			73	140	73	73	
92FC	4.30"		73			273	51			73	73	73	73			73	140			
92FCDA	4.30"		73			73	51			73	73	173	473			73	140			
92FCM	4.30"		73			273	51			73	73	73	73			73	140			
92FS	4.90"		73			73	53	73	73	73	73	73	73			73	140	73	73	
92FSCenturion	4.30"		73			273	51			73	73	73	73			73	140			
92G	4.90"		73			73	53	73	73	73	73	73	73			73	140			73
92GELITE	4.90"																			
96	4.90"		73			73	53	73	73	73	73	73	73			73	140			
96BrigadierD	4.90"						53					173								
96BrigadierG	4.90"						53					73	73							
96 Brigadier	4.90"																			73
96Centurion	4.30"		73			273	51			73	73	73	73			73	140			
96D	4.90"		73			73	53	73	73	73	73	173				73	140			73
96DC	4.30"		73			273	51			73	73	173				73	140			
96DS	4.90"		73			73	53	73	73	73	73	173				73	140			
96DSBrigadierD	4.90"						53					173					140			
96F 96FS	4.90"																			73
96G	4.90"		73			73	53	73	73	73	73	73	73			73	140			73
96G SD, 92G SD	4.90"											73								
Cougar8000, 8040 Cougar D DAO	3.60"					71	54					171	71				140			
Cougar8000,8040 Cougar G, F, D	3.60"					71	54				71	71	71				140			
Cougar8045F	3.60"											71								
Cougar8357	3.60"					71														
PX4 Storm 9mm & .40 DASA Only	4.00"											180								
PX4 Storm 9mm & .40	4.00"		77		278		744		180			180			283		140	180	180	
PX4 Storm .45ACP	4.00"																	185	185	
With Lights																				
92 F w/ITI mount Streamlight M3/M6, TLR-1,TLR-2, or Insight XTI Procyon light NOTE: Holster will not retain weapon without light attached.	4.90"											7321								
92F, 92FS, 92B 92 Brigader w/Surefire P116	4.90"											736								
92F w/Surefire MR-11 adapter & Surefire X200 or X300	4.90"											73421								
92,Sure-Fire Nitrolon Light P116C,P116D, P116 NOTE: Holster will retain weapon without light attached	4.90"											736								
92/96 Vertec w/ Surefire Nitrolon P001 light	4.70"											7346								
Vertec 92F, 96 w/ M3, M6 or M3 LED IT Tactical Illuminator Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon	4.70"								73421			73421								
PX4 Storm with ITI M3, M6, Insight XTI Procyon, TLR-1, TLR-2, Surefire X200 or X300 lights	4.00"											18021								
Browning		18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6378	6367	1051
BDM9mm	4.73"		18				53									176	140			
HighPower9mm	4.66"						53					76								
Hi Power 9mm (Canadian Version)	4.60"											376								
Caspian with Lights		18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051
1911 w/Military Mount with Beamshot Model 8800	5.00"											5322								
Colt		18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051
CombatElite	5.00"		53	53	53	53	53	53	53			53	53		53	53				
CombatTarget	5.00"											53								
Commander	4.25"		53	53		51	51	51								53				
DeltaElite	5.00"		53	53	53	53	53	53	53			53	53		53	53				
DeltaGoldCup	5.00"		53	53	53	53	53	53	53			53	53		53	53				

GunMnfr./Model	BBL.	18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051	
GoldCupNtlMatch	5.00"		53	53	53	53	53	53	53			53	53		53	53					
Government.380	3.25"				53			89							53						
Government1911	5.00"	53	53	53	53	53	53	53	53			53	53		53	53		53	53		
Mustang	2.75"							89													
Officer's.45ACP	3.50"			53		54	54	54	54							53					
With Lights																					
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire X200 or X300 Light	5.00"											530									
CZ		18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051	
75.85	4.50"						51	99	99			90				99	140				
75 P-01	3.80"											290									
EAA		18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051	
Witness 9mm, 40SW, Sport 9mm, Sport 40SW	4.50"						51	99	99			90				99	140				
FN		18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051	
Five-Seven	4.80"											61									
FNP-9/Browning PRO-9	4.00"		77	383	74		744					260									
FNP-45	4.50"						744					261									
With Lights																					
Five-Seven w/ Tactical Illuminator light refire M3, M6, M3 LED or Insight XTI Procyon N/A for M3X/M6X. Or Streamlight TLR-1 and TLR-2. Note: holster will not retain weapon without light attached.	4.80"											6121									
Glock		18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051	
17, 17C, 22, 22C, 31 (.357)	4.50"	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	140	83	83	283	
17 & 22, Dual Mag release	4.50"											983							983		
19, 19C, 23, 23C, 25, 32	4.00"	283	83	83	283	283	54	283	283	283	283	283	283	283	283	83	140	283	283	283	
19 & 23, Dual Mag release	4.00"											9283									
20, 20C, 21, 21C,	4.60"			383		383	83	383	383		383	383	383			383	140	383	383	383	
21SF w/STD Glock Rails	4.60"						83		383		383	383	383			383	140	383	383		
21SF w/Picatinnv Rails	4.60"						49					383									
33, 28	3.50"		83	83	183	183	54	183	183	183	283	183	283		183	83	140	183		283	
26, 27	3.50"	183	83	83	183	183	54	183	183	183	283	283	283	183	183	83	140	183			
29, 30	3.78"						83	483	483	483	483		483	483		383	140	483	483	483	
34, 35	5.32"			83			49		683								140		683	283	
36	3.75"			83			54					283	483						283		
37	4.50"			383			49	383				783					140	783	783		
38	4.00"						83											383			
39	3.38"			383			744		383								140				
With Lights																					
17, 22, 19, 23 w/ITI Streamlight M3, TLR-1, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.50"								832			832							832		
17, 22 w/ITI Streamlight M3/M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.50"								8321												
17, 22, 31w/Glock Tactical Light Systems: GTL 10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52(light/laser with dim-switch) Note:holster will not retain weapon without light attached	4.50"								8310			8310									
17, 22 w/ Surefire X200 or X300	4.50"											836									
17, 22, w/Glock Tactical Light Systems: GTL 10 (light only), GTL21, GTL22 (light laser combo)	4.50"																			8310	
17, 22, 31 with Beamshot Model 8000 or Model 8100	4.50"											8312									
17, 22, 31 with ITI M3X or M6X	4.50"											8312									
17, 22 with TLR-1, TLR-2, ITI M3, M6, M3X, M6X, or Insight XTI Procyon	4.50"								8312												
17, 22, 31, 23 M3, M6, M3 LED IT Tactical Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon	4.50"											8321									
17, 22 4.50" BBL with the Oerlikon Contraves LLM-01 Module with Filter	4.50"											8341									
17, 22, Dual Magazine Release with ITI M3	4.50"											9832									
17, 22 Dual Magazine Release and Glock GTL10 Light	4.50"											9832									
17, 22 Dual Magazine Release and Glock GTL10 Light, GTL 21, GTL 22 Light/Laser Combo	4.50"											98310									
19, 19C, 23, 23C w/ Surefire X200 or X300	4.00"											2830									
19, 23 with ITI M3, TLR-1, Surefire X200, X300, LAS-TAC 2, SSL-1, or Insight XTI Procyon	4.00"																			2832	

GunMfctr./Model	BBL.	18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051
19, 23 w/Glock Tactical Light Systems: GTL 10 (light only) Note: N/A for Glock light system GTL21,GTL22 (light laser combo) Note: holster will not retain weapon without light attached	4.00"											2837								
20, 21 w/STD Glock Rails, 37 W/ ITI Streamlight M3, TLR-1, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.60"								3832											
20, 21 w/STD Glock Rails w/ ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300 or Insight XTI Procyon	4.60"								38321											
20, 21 w/STD Glock Rails w/ ITI M3, M3X, TLR-1, SSL-1, Surefire X200, X300, or LAS-TAC 2 light	4.60"																		3832	
20, 21, w/STD Glock Rails with Surefire X200 light or X300 Note: holster will not retain weapon without light attached	4.60"											3830								
20,21 w/STD Glock Rails w/Laser/Tac 2 (6v) from Laser Device Inc.Or Streamlight TLR-1 and TLR-2	4.50"											38321								
20, 20C, 21, 21C w/Streamlight M3, M6, M3 LED or Insight XTI Procyon: Note: holsters listed will not retain the handgun without the light attached												38321								
20 & 21SF with Dual Magazine Release with ITI M3, M6, TLR-1, TLR-2, or Insight XTI Procyon	4.50"											938321								
34, 35 w/ITI Streamlight M3 or Insight XTI Procyon NOTE: Holster will retain weapon without light attached	5.32"											6832								
34, 35 w/IT Tactical Illuminator Light M3, M6 or M3 LED, TLR-1, TLR-2, or Insight XTI Procyon Note: N/A for M3X/M6X. Note: holster will not retain weapon without light attached.	5.30"											68321								
34, 35 with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300 or Insight XTI Procyon	5.30"								68321											
37 with ITI M3, TLR-1, SSL-1, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.50"																			7832
37 with ITI M3, TLR-1, Surefire X200, X300 or Insight XTI Procyon	4.50"											7832								
37 with Glock Tactical Light, GTL 10 (light only)	4.50"											7837								
Heckler&Koch		18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051
P7M8	4.10"											82	82							
P7M13	4.10"											82	82							
P30 DAO	3.78"		295		295							295						295	295	
P2000	3.50"						744		97											
P2000, P2000SC	3.25"						744		297									97	97	97
P2000 European Version w/light mount frame	3.62"			97			744			97		97								
P2000 European Version and US Version w/light mount frame	3.50"			97			744			97		97								
US Version P2000 DAO (bobbed hammer)	3.50"						744		297				297					97		
US Version P2000 SC DAO (bobbed hammer)	3.25"						744		297				297							
USP 9, 40	4.25"					91	83	91	91			93	91				140	91	91	
USP 9, 40 with Rubber Spurred Hammer (holsters with a manufacture date of 2308 and after)	4.25"																			91
USP9C,40C	3.58"					291	54	291		291	291	291	291		291		140	291		
USP45	4.53"						83	91	393			93	93				140			
USP45Compact.45ACP	3.8"											293		293			140			
USP40 Expert	5.20"								96			96								
USP45 Expert	5.20"						49		96			96								
HK .45	4.25"						83	74				393								
With Lights																				
USP 9, 40, 45 W/ HK USP Light Hammer Down N/A for DA only	4.25"								932											
USP 45 LEM (D.A.O. (Bobbed Hammer)) w/Surefire X200 light adapter with Surefire X200 light or X300 Note: Holsters will not retain weapon without the light attached	4.41"								1930			1930								
USP 9, 40 w/ Surefire Mount and Surefire P105 / P115 Light	4.25"											1936								
USP 9, 40 "Hammer down or Cocked and locked" w/B & T Adapter and IT Tactical light M3, M6, M3 LED, or Insight XTI Procyon Note: The Holster will not retain weapon without light attached.	4.25"											9221								

GunMnfrctr./Model	BBL.	18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051
USP 9, 40 D.A.O. w/Surefire mount w/ Insight Technology M3X or M6X light or ITI SSL-1. Note: Holster will not retain weapon without light attached.	4.25"											19312								
USP 9, USP .40 with Surefire Mount and ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI Procyon	4.13"											9321								
USP 9C, USP .40C Cocked & Locked with Surefire Mount with Surefire X200 or X300 lights	3.58"											2910								
HK USP 40C Insight Technology M3, M6, M3X LED Tactical Illuminator Light, ITI SSL-1, or Insight XTI Procyon Bobbed Hammer Only Note: N/A for M6X Note: The holsters will not retain weapon without the light attached	3.58"											29111								
USP .45 with Surefire Mount and ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI Procyon	4.41"											9321								
P2000 (U.S. Version) w/ ITI M3/M6 or Insight XTI Procyon	3.50"											9711								
P2000 (US Version) DAO, Bobbed Hammer, w/Insight Technology M3X Light Only	3.66"																			
P2000 DAO (bobbed Hammer) with B&T adaptor and a Glock Light System: Models: GTL 10 (light only), GTL21 (light/laser combination),GTL22 (light/laser combination),GTL51(light/laser combination), GTL52(light /laser with dim-switch)	3.50"											9710								
P2000 Europea Version with B & T adapter (TL P2000) with M3/M6 IT tactical illuminator light, ITI SSL-1, or Insight XTI Procyon NOTE: Holster will not retain weapon without light attached.	3.50"											9721								
P30L with ITI M3X or M6X Light	4.44"								39512			39512								
HSAmerica		18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051
HS2000 9MM, 40, 357	4.00"											148					140			
KAHR		18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051
E9,K9,K40	3.50"			53		54	54													
Kimber		18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051
KIP45CUS	5.00"			53	53	53	53	53	53			53	53		53	53				
1911	5.00"								56									53	53	
Pro Carry 1911	4.00"																	52		
Gold Combat RL II, Warrior (w/light rail)	5.00"						53		56			56	56		56			56	56	
With Lights		18																		
1911 w/rails: Gold Combat RL;Custom TLE/RL w/Surefire X200 light or X300 NOTE: Holster will not retain weapon without light attached	5.00"								5340			5340								560
ParaOrdance		18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051
12.45LDA	3.50"			53		54	54	54												
12.45LDASS	3.50"			53		54	54	54												
14.40LDASS	3.50"			53		54	54	54												
14.45LDA	5.00"		53	53		53	53	53	53			53	53							
14.45LDALTD	5.00"		53	53		53	53	53	53			53	53							
14.45LDALTDSS	5.00"		53	53		53	53	53	53			53	53							
14.45LDASS	5.00"		53	53		53	53	53	53			53	53							
16.40LDALTD	5.00"		53	53		53	53	53	53			53	53							
16.40LDALTDSS	5.00"		53	53		53	53	53	53			53	53							
18.9LDA	5.00"		53	53		53	53	53	53			53	53							
18.9LDASS	5.00"		53	53		53	53	53	53			53	53							
7.45LDA	5.00"		53	53		53	53	53	53			53	53							
7.45LDALTD	5.00"		53	53		53	53	53	53			53	53							
7.45LDALTDSS	5.00"		53	53		53	53	53	53			53	53							
7.45LDASS	5.00"		53	53		53	53	53	53			53	53							
Carry.45ACP	3.00"			53		54	54	54												
Companion.45ACP	3.50"			53		54	54	54												
P12-45LTSS	3.50"			53		54	54	54												
P12-45SS	3.50"			53		54	54	54												
P13-45	4.25"		53	53		51	51	51												
P13-45LTD	4.25"		53	53		51	51	51												
P13-45LTDSS	4.25"		53	53		51	51	51												
P13-45SS	4.25"		53	53		51	51	51												
P-14	5.00"		53			53	53	53	53											
P14-45	5.00"		53	53	53	53	53	53	53			53	53		53					
P14-45LTD	5.00"		53	53		53	53	53	53			53	53							
P14-45LTDSS	5.00"		53	53		53	53	53	53			53	53							

GunMfctr./Model	BBL.	18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051	
P14-45SS	5.00"		53	53		53	53	53	53			53	53								
P16-40	5.00"		53	53		53	53	53	53			53	53								
P16-40LTDSS	5.00"		53	53		53	53	53	53			53	53								
P16-40SS	5.00"		53	53		53	53	53	53			53	53								
P18-9	5.00"		53	53		53	53	53	53			53	53								
Ruger		18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051	
KP89	4.50"					65	83	65									140				
KP89DAO	4.50"					65	83	65									140				
KP89DAOW	4.50"					65	83	65									140				
KP89DC	4.50"					65	83	65									140				
KP89DW	4.50"					65	83	65									140				
KP89W	4.50"					65	83	65									140				
KP90	4.50"					65	49										140				
KP90DC	4.50"					67											140				
KP90DW	4.50"					67											140				
KP90W	4.50"					67											140				
KP91DAO	4.50"					67	49										140				
Ruger		18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051	
KP91DC	4.50"					67	49										140				
KP93	3.88"						744										140				
KP94,KP944W,KP944DW	4.25"						744										140				
KP944DAO,KP944	4.25"																140				
KP944DC,KP944DAO	4.25"																140				
P345	4.00"			383			83								77						
P85	4.50"					65	83	65									140				
P89	4.50"					65	83	65									140				
P89DC	4.50"					65	83	65									140				
P89W,P89DW	4.50"					65	83	65									140				
P90.45CAL.	4.50"					67	49										140				
P90DC	4.50"					67											140				
P91DAO	4.50"					67											140				
P91DC	4.50"					67	49										140				
P95D,KP95D	4.25"						744										140				
P95DAO,KP95DAO	4.25"						744										140				
SR9	4.00"			77			54							84			140				
SigSauer		18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051	
P220 before gun serial number (G158180),P226 before serial gun number (365426)	4.41"	77	77	77		77	744	77	77		77	77	77			77	140	77	77	77	
P220STStainlessSteel P220R,P220S,P226R P226S,P226SO withAccessoryRails	4.41"				77	77				777	774	77	77		77			77	77	77	
P220afterS/NG158180(widetriggerguard)	4.41"																				
P220R DAK P220R DASA Bobbed or Spurred Hammer	4.41"						744														
P226R DAK P226R DASA Bobbed or Spurred Hammer	4.41"						49														
P220R DAK, P226R DAK bobbed hammer w/light rails	4.41"									777		277						774	774	774	
P220R DASA, P226R DASA Spurred hammer w/light rails	4.41"																	774	774	774	
P226DAO,P220DAO	4.41"	77	77	77		77	83	77		777	77	77	77			77	140				
P220R P226R	4.41"								774												
P226afterS/N365426(widetriggerguard)	4.41"																				
P220R Compact	3.75"				77	744	744					74	291				140				
P225	3.90"		77	77		79	54	79	74			74				77	140	79	79	79	
P228	3.90"	74	77	77	74	79	54	79	74	74	74	74	74	744	74	77	140	74	74	74	
P229	3.90"	74	77	77	74	74	54	74	74	74	74	74	74	744	74	74	140	74	74	74	
P229R DASA spurred hammer w/light rails	3.90"				74	744	744		744	744		74	74	744	74			744	744	744	
P229R DAK bobbed hammer w/light rails	3.90"					744	744		744	744		174						744	744	744	
P230	3.62"					85											85				
P239 (will only fit 9mm as of manufactured date 4603)	3.63"			77		75	54			75		75					140				
P239 .40 & .357	3.63"	75		77	75	75	54			75		75			75		140				
P239 9mm	3.63"																	75			
P239 .40	3.63"																	754			
P245	3.90"			77			83	74									140				
P250	3.88"											750								750	
SIGProSP2340,2009	3.88"			77	74	78		78		78	78	78	74	78	74						
SIGPro SPC2009-wlightmountrails	3.50"						744					278									
P2022spurred hammer	3.50"					78		78				278						278		278	
Sig Arms GSR Revolution 1911	5.00"						53					256									
With Lights																					
Sig Pro P2022 with Insight Technology M3, M6 or M3 LED Tactical Illuminator light, ITI SSL-1, Streamlight TLR-1, TLR-2, or Insight XT1 Procyon. Note: The holster will not retain weapon without light attached.	3.50"											27821									

GunMnfrctr./Model	BBL.	18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051
P220R, P226R DASA/ DAK W/ Accessory Rails W/ M3, M6 ITI Tactical Illuminator Light, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.41"								77421											
P226 (full size hammer) with Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: Holsters will not retain weapon without the light attached.	4.41"											7721								
Sig P220R DAK, P226R DAK (with bobbed hammer) with ITI M3, M6, ITI SSL-1, Insight XTI Procyon, or Streamlight TLR-1, TLR-2. Note: holster will not retain qun without light attached.	4.41"											27721								
Sig P220R DAK, P226R DAK (with bobbed hammer) with Sure-Fire X200 or X300 Light. Note: Holster will not retain weapon without light attached.	4.41"											2770								
P220, P226 w/Sure-Fire Military Series Light W113,W113C,W113D & W114,W114C,W114D NOTE: Holster will retain weapon without light attached	4.41"											778								
P220R,P220S P226S,P226SO,P226R w/Accy Rails (DASA Spurred Hammer) w/M3, M6 IT Tac Illuminator Light, Streamlight TLR-1, TLR-2 or Insight XTI Procyon.	4.41"											77421								
P220R,P226R (DASA Spurred Hammer) w/Insight Technology Streamlight M3X or M6X Tac Illuminator Light or Surefire X400 light NOTE: Holster will not retain weapon without light attached	4.41"											77412								
P220SO,P220ST,P220R,P226R (DASA Spurred Hammer) w/Sure Fire X200 or X300 light NOTE: Holster will not retain weapon without light attached	4.41"											7740								
P220, P226 with Beamshot Model 8000 or Model 8100	4.41"											7712								
P220, P226 with IT Mount and Insight Technology M3X, M6X. NOTE: The Holster will not retain weapon without light attached.	4.41"											7712								
P226 w/Sure-Fire NITROLON P113,P113C,P113D& P114,P114C,P114D NOTE: Holster will retain weapon without light attached	4.41"											778								
P220R P226R (DASA Spurred Hammer) w/Accy Rails w/Laser/Tactical 2 (6v) from Laser Device Inc. Insight Technology Mount (ITI), Streamlight Tactical Illuminator Litght Model M3, M6, M3 LED, or Insight XTI Procyon.	4.41"											77421								
P226 with Surefire MR14 Rail & Surefire X200 or X300 light Note: Right Handed Holsters will accommodate LASER GRIPS	4.41"											7700								
P220R & P226R with ITI M3, TLR-1, Surefire X200, X300, or SSL-1 lights	4.41"																	7742		
P220R, P226R with MOLAD Light Laser	4.41"											77413								
P226R X-Five with Surefire X200 or X300 light	5.00"											3770								
P228,P229 with M3, M6, M3 LED light or Insight XTI Procyon with ITI mount. Or Streamlight TLR-1 and TLR-2.	3.90"											7421								
P229R DASA (Spurred Hammer) with accy rails with M3, M6, M3 LED light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. NOTE: Holster will not retain weapon without light attached. N/A M3X, M6X.	3.90"											74421								
P229 R DAK with Light Rails; Bobbed Hammer with IT Tactical Illuminator Light M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: The Holster will not retain weapon without light attached.	3.90"											17421								
P229R DAK Bobbed Hammer w/ Insight Technology M3X or M6X light. NOTE: Holster will not retain pistol without light attached.	3.90"											17412								
P229 R DAK w/bobbed hammer with Surefire X200 or X300 light NOTE: The Holster will not retain weapon without light attached.	3.90"											1740								

GunMnfr./Model	BBL.	18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051	
P229R DASA w/Spurred Hammer w/Surefire X200 or X300 Light NOTE: Holster will not retain weapon without light attached.	3.90"											7440									
P229R with ITI M3, TLR-1, M3X, Surefire X200, X300 or SSL-1	3.90"																		7442		
Sig Pro SPC 2009 w/Sig metal rail adaptor and IT streamlight M3 tactical illuminator light or Insight XTI Procyon NOTE: The holster will not retain weapon without light attached.	3.50"											2782									
1911 GSR w/ ITI M3, M6, Streamlight TLR-1, TLR-2, Surefire X200, X300, SSL-1 or Insight XTI Procyon. NOTE: Holster will NOT retain weapon without light attached	5.00"											25621									
Smith&Wesson		18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051	
39	4.00"		83	18		18	83	18		18										140	
59	4.00"		83	18		18	83	18		18										140	
410	4.00"						83									19				140	
411	4.00"				140	140	83			140			140		140					140	
439	4.00"		83	18		18	83	18		18										140	
457	4.00"						83													140	
459	4.00"		83	18		18	83	18		18										140	
469	3.50"		83	18		20	54	20												140	
639	4.00"		83	18		18	83	18		18										140	
645	5.00"					23	53					210				320				140	
659	4.00"		83	18		18	83	18		18										140	
669	3.50"		83	18		20	54	20												140	
908	3.50"						54													140	
909	4.00"						83									19				140	
910	4.00"						83									19				140	
915	4.00"					18	83	18		18							118			140	
1006	5.00"						53						210	210						320	
1026	5.00"						53					210								320	
1046	5.00"						53													140	
1066	4.25"					410	83									320				140	
1076	4.25"					310	83									320				140	
1086	4.25"					410	83													140	
2213	3.00"																36				
3904	4.00"		83	18	140	18	83	18		18			140		140		118			140	
3906	4.00"		83	18	140	18	83	18		18			140		140		118			140	
3913	3.50"		83	18	20	54	20	20		20			20				118			140	
Smith&Wesson		18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051	
3953	3.50"			18			54	20												320	
4006	4.00"		83	140	140	140	83			140		140	140		140					320	
4013	3.50"		83			423	54													320	
4026	4.00"		83	140	140	140	83			140			140		140					140	
4043	4.00"											140								140	
4046	4.00"		83	140	140	240	83			140		140	140		140					320	
4053	3.50"		83				54													140	
4506	5.00"						53					210								320	
4526	5.00"						53					210								320	
4536	3.75"		83			423	54													320	
4546	5.00"						53													140	
4556	3.75"		83				54													140	
4566	4.25"					410	83													320	
4576	4.25"					310	83													320	
4586	4.25"					410	83					210								140	
5903	4.00"		83	18	140	18	83	18		18		140	140		140					118	
5904	4.00"		83	18	140	18	83	18		18		140	140		140					118	
5923	4.00"		83	18		18	83	18		18										118	
5924	4.00"		83	18		18	83	18		18										118	
5926	4.00"		83	18		18	83	18		18										118	
6904	3.50"		83	18		20	54	20		20			20							118	
6924	3.50"		83	18		20	54	20		20			20							118	
6926	3.50"		83	18		20	54	20		20			20							118	
3953 3954	3.50"			18			54	20		20		321								320	
3913LS	3.50"		83	18		20	20	20					20								140
3913NL	3.50"		83	18		20	20	20					20								140
3913TSW_3953TSW(with rails)	3.50"																			140	
3913TSW w/o lightmnt	3.50"			18		20	54	20					20							118	
3914LS	3.50"		83	18		20	20	20					20								140
3953TSW	3.50"			18				20												320	
3953TSW w/o lightmnt	3.50"			18				20												320	
4006TSW w/Picatinny Rails, 4006TSW W/STD Rails BOBBED HAMMER ONLY	4.00"											141									
4003TSW,4006TSW (manufacturing date of 4603),4043TSW,4046TSW(with rails)	4.00"						744													140	

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 11/12/09

GunMfctr./Model	BBL.	18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051	
XD 9mm & .40 Subcompact	3.00"	47							47												
XDM 9mm & .40	4.50"						49		146			149			49		140	149	149		
XD(M) .40	4.50"	47			49				146			149			49		140	146	146	149	
XD(M) 9mm	4.50"	47			49				146			149			49		140	145	149		
With Lights																					
1911 Operator w/Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2.	5.00"											5621									
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire x200 Light or X300	5.00"											530									
Operator 1911-A1 w/ M3, M6, M3 LED StreamLight or Insight XTO Procyon Light.	5.00"											5621									
Operator 1911-A1 w/ M6X or M3X StreamLight or ITI SSL-1	5.00"											5612									
Operator 1911-A1 with Surefire X200 or X300 light	5.00"								5340											560	
XD 9mm, .40, .45 w/ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2 or Insight XTI Procyon light Note: Holster will NOT retain weapon without light attached	4.00"								14821			14821									
XD 9mm, .40, .45 w/ITI M3, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI Procyon Note: Holster will NOT retain weapon without light attached	5.00"								14921			14921									
XD 9mm, .40, .45 w/ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon	5.00"																			1492	
XD(M) 9mm & .40 with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon lights	4.50"								14921			14921									
ST/STVI																					
1911 with rails	5.00"	18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051	
1911 without rails	5.00"		53	53		53	53	53	53			56						56			
STI Tactical	5.00"						53					56							53	53	
GP6	4.25"						83														
With Lights																					
1911 w/rails: Infinity Lighted Gun, STI 2011 Tactical, Tactical Lite, Duty One w/Surefire X200 light or X300 NOTE: Holster will not retain weapon without light attached	5.00"											5340									
STI Tactical w/ M3, M6, M3 LED StreamLight, TLR-1, TLR-2 or Insight XTI Procyon	5.00"											5621									
Stinger																					
S-200		18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051	
Taser International		18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051	
Advanced Taser M26												63									
X26												64									
Taurus																					
24/7 w/accy rails	4.00"			77		39	83	40	74			40	83	78							
PT92, PT99C	5.00"			73		73	53	73	73		73					73	140				
PT99	5.00"			73		73	53	73	73		73					73	140				
PT99C	4.00"			73		273	51	73	73		73					73	140				
PT92C	4.00"			73		273	51	73	73		73					73	140				
PP	3.86"			89			89									89					
Walther																					
PPK	3.27"			89		89		89					89			89					
PPKS	3.27"			89		89		89					89			89					
P5	3.50"						53					87									
P99	4.00"					84	54				84			84				84	84	84	
P99QA	4.00"											84							84	84	
P99C QA	3.50"											84		84				140	84	284	84
Wilson																					
1911 CQB w/light rail	5.00"	18	27	527	528	518	567/568	5181	5187/5188	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051	
1911	4.88"					53		53	53			53									
With Lights																					
1911 w/rails: CQB w/Surefire X200 light or X300 NOTE: Holster will not retain weapon without light attached	5.00"								5340			5340								560	

Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for, or the consequences resulting from, such errors and urges user of this information to personally check for holster/handgun compatibility using the actual product.